INDEX FOR VOLUME XLV, 1933

Compiled by Leonard W. Wing

Abbott, Cyril E. Mockingbird in Illinois and Michigan, 203
acadica acadica, Cryptoglaux, 139, 183
Acanthus linaria, 25
Accipiter cooperi, 139, 179
velox velox, 18, 139, 178
Acititis macularia, 20, 182
Acuta tzitzihoa, Dafila, 18, 86
Aechmophorus occidentalis, 17
aëdon aëdon, Troglodytes, 186
parkmani, 23
aestiva, Dendroica, 24, 190
affinis, Nyroca, 85, 142
Agelaius phoeniceus arctolegus, 25
fortis, 121
phoeniceus, 193
Aix sponsa, 85, 178
Alabama, 29
alba, Crocethia, 21
alba pratincola, Tyto, 139, 182
albeola, Charitonetta, 18, 85
albicollis, Zonotrichia, 26, 194
albifrons, Anser, 17
Petrochelidon, 22, 186
albus egretta, Casmerodius, 35, 141, 142
Alcedo, 81
alycon, Megacerle, 80, 183
alpestris praticola, Otocoris, 22, 185, 198
americana, Fulicula, 19, 181
Mareca, 18, 35, 85
Numenius, 20
Nyroca, 18, 86
pusilla, Compsothlypis, 190
Recurvirostra, 21
americanus, Coccyzus, 30, 182
Ammodramus bairdi, 25
savannarum australis, 194
bimaculatus, 25
Amphispiza nevadensis nevadensis, 136
Anderson, Edwin C. Golden-winged Warbler in South Dakota, 197-198
Anser albifrons albifrons, 17
Anas platyrhynchos platyrhynchos, 17, 178
rubripes tristis, 86, 178
Antnus spinoletta rubescens, 23, 114-117, 120
spraguei, 24, 120
Antrostomus vociferous, 183
Aquila chrysaëtos canadensis, 32
arborea, Spizella, 26
Archilochus colubris, 183
arctica pacifica, Gavia, 89
arctolegus, Agelaius phoeniceus, 25
Ardea herodias herodias, 17, 32, 176
Areonatus saxatalis saxatalis, 135
argentatus smithsonianus, Larus, 200
Arizona, 31
Arkansas, 29
Arquatella maritima, 120
Asio flammeus, 139, 183
wilsonianus, 22, 139, 183, 198
asio naevius, Otus, 139, 182
Astur atricapillus, 139
ater artemisiae, Molothrus, 25, 193
ater, 54, 90
atratus atratus, Corygyps, 139, 203
atricapillis, Astur, 139
atricapillus, Penthestes, 186
septentrionalis, 23
auratus luteus, Colaptes, 22, 183
aura septentrionalis, Cathartes, 139, 178, 200
auritus, Colymbus, 17
Phalocrocorax, 17
aurocapillus, Seiurus, 76, 192
Avocet, 21
Baerg, W. J. Record of the Starling in Arkansas: A Correction, 29
Baeolophus bicolor, 87, 186
bairdi, Ammodramus, 25
Pisobia, 20
Baker, William C. Sight Records from Ohio, 35-36
Baldpate, 18, 35, 134
Bartramia longicauda, 20, 182
Beebe, Ralph. Influence of Great Lakes on Migration, 118-121; White Gyrfalcon in Michigan, 79
Bennett, Logan J. Fall Flight of Ducks, Northwest Iowa, 85-86
bewicki, Thryomanes, 187
bicolor, Baeolophus, 87, 186
Iridoprocne, 22, 185
Bittern, American, 17, 87, 178
Least, 160, 178
Blackbird, 8
Brewer's, 25, 111, 142
Yellow-headed, 25, 119
Red-winged, 4, 29, 63, 134
Rusty, 111, 113
Bluebird, 3, 53, 66, 134
Eastern, 23, 188
Western, 23
Bobolink, 4, 9, 63, 192
Bob-white, 62, 80, 122-132, 134
Eastern, 30, 180
Bombycilla cedrorum, 140, 188
garrula pallidiceps, 24
Bonasa umbellus, 179
borealis borealis, Buteo, 79, 139, 179, 200
calurus, 19
Botaurus lentiginosus, 17, 178
brachyrhynchos, Corvus, 23

Branta canadensis canadensis, 17
hutchinsi, 17
Breckenridge, W. J. Pomarine Jaeger in South Dakota, 79
breweri, Spizella, 26
Brooks, Maurice. Notes on Waterfowl, West Virginia, 87
Bryens, Oscar McKinley. Early Arrival of Great Blue Heron, 34
Bubo virginianus virginianus, 139, 183
Bufflehead, 18, 85, 87
Bunting, Eastern Snow, 26
Indigo, 64, 174, 193
Burleigh, Thomas D. Brewer's Blackbird in the Southeast, 111-113
Burns, Frank L. Biographical Corrections, 36
Buteo borealis borealis, 79, 139, 179, 200
calurus, 19
lagopus s.-johannis, 19, 135, 139
lineatus lineatus, 139, 179
platypterus, 79, 139, 179
swainsoni, 19, 120
Butorides virescens, 178
caerulea caerulea, Florida, 35, 141
Guiraca, 141
Polioptila, 30, 188
caerulescens, Chen, 83, 142
caerulescens, Dendroica, 191
Calcarius lapponicus, 26, 120
ornatus, 26, 120
California, 4, 5, 8, 21
californicus, Larus, 21, 200
calliope, Stellula, 135
canadensis tabida, Grus, 19, 99-106
Wilsonia, 192
Canvasback, 18, 86
Capella delicata, 20, 181
Cardinal, 33, 64, 134, 140, 141, 193
Eastern, 90, 152
cardinalis cardinalis, Richmondena, 90, 152-154, 193
carolina, Porzana, 19, 180
canadensis, Branta, 17
Sitta, 23, 186
carolinense, Nettion, 18, 86, 142
carolinensis carolinensis, Penthestes, 35, 186
Dumetella, 23, 137, 187
carolinus, Centurus, 184
Euphagus, 111
Carpodacus cassini, 136
purpureus purpureus, 193
Cartwright, B. W. (see C. G. Harrold)
Casmerodius albus egretta, 35, 141, 142
cassini, Carpodacus, 136
castanea, Dendroica, 72
Catbird, 3, 23, 65, 80, 137, 158, 187
Cathartes aura, 200
septentrionalis, 139, 178
cedrorum, Bombycilla, 140, 188
celata celata, Vermivora, 24
Centurus carolinus, 184
Ceophlaeus pileatus albieticola, 183
Certhia familiaris americana, 187
cerulea, Dendroica, 191
Chaetura pelagica, 183
Charadrius melodius, 19, 142, 187
semipalmatus, 20
Charitonetta albeola, 18, 85
Chat, 65
Yellow-breasted, 192
Chaulelasmus streperus, 17, 85
Chen caerulescens, 83, 142
hyperborea atlantica, 16
hyperborea, 17
Chewink, 11
Chickadee, 65
Black-capped, 158, 174, 186
Carolina, 35, 186
Long-tailed, 23
Chicken, Prairie, 102
Chlidonias nigra surinamensis, 22, 182
chloropus cachinnans, Gallinula, 142, 181
Chondestes gramineus gramineus, 194
Chordeiles minor, 22, 183
chrysaëtus canadensis, Aquila, 32
chrysoptera, Vermivora, 198, 189
Circus hudsonius, 19, 179
Cistothorus stellaris, 187
citrea, Protonotaria, 137
citrina, Wilsonia, 192
clangula americana, Glaucionetta, 18
Clay, Marcia B. Diurnal Activity of the Woodcock, 106-110.
clypeata, Spatula, 18, 85, 142
Coccyzus americanus, 30, 182
erythophthalmus, 182
Colaptes auratus luteus, 22, 183
Colinus virginianus virginianus, 30, 180
collaris, Nyroca, 85
colubris, Archilochus, 183
columbarius, Falco, 19, 139, 179
columbianus, Cygnus, 17
Colymbus auritus, 16
Compsothlypis americana pusilla, 190
Cook, Mrs. Horace P. Calls of the Barred Owl, 30; Some Hoosier Notes, 33-34; Notes on Rare Birds in Indiana, 141; Blue-gray Gnatcatcher in Indiana, 200-201; Notes on the Cerulean Warbler, 202
cooperi, Accipiter, 139, 179
Coot, American, 19, 83, 134, 181, 196
Coragyps atratus atratus, 139, 203
corax principalis, Corvus, 201
Cormorant, Double-crested, 17, 196
coronata coronata, Dendroica, 24, 71
Corvus brachyrhynchos, 23, 186
corax principalis, 201
Coturnicops noveboracensis, 181

Cowbird, 54, 63, 112, 134, 193
Eastern, 90, 158
Nevada, 25
Crane, Sandhill, 19, 99-106
Creeper, Brown, 175, 187
crinitus boreus, Myiarchus, 184
cristata cristata, Cyanocitta, 186
Crocethis alba, 21
Crow, 7, 8, 9, 23, 63, 104, 134, 174, 186
Fish, 88, 147
Cryptoglaux acadica acadica, 139, 183
Cuckoo, 67
Black-billed, 62, 182
Yellow-billed, 30, 182
cucullatus, Lophodytes, 85
cunicularis hypugaea, Speotyto, 22
cupido americanus, Tympanuchus, 19
Curlew, Long-billed, 20
currucoides, Sialia, 23
Curtis, J. T. Brewer's Blackbirds in Waukesha County, Wisconsin, 142
cyanea, Passerina, 192
cyanocephalus, Euphagus, 25, 111-113, 142
Cyanocitta cristata cristata, 186
Cygnus columbianus, 17
Dafila acuta tzitzihoa, 18, 86
deglandi, Melanitta, 18
delawarensis, Larus, 21, 200
delicata, Capella, 20, 181
Dendroica aestiva aestiva, 24, 190
caerulescens caerulescens, 191
castanea, 72
cerulea, 191
coronata, 24, 71
discolor discolor, 75
fusca, 24, 191
kirtlandi, 72
magnolia, 24, 190
palmarum palmarum, 24, 73
pensylvanica, 72, 137, 191
pinus pinus, 191
striata, 24, 72
virens virens, 191
Dill, H. R. Black Vulture in Iowa, 203
discolor discolor, Dendroica, 75
discors, Querquedula, 18, 85, 178
Dolichonyx orvzivorus, 192
domesticus, Passer, 155, 156, 192, 197
dominica, Pluvialis, 20, 91, 141
Dove, Mourning, 62
Eastern, 30, 182
Western, 22, 134
Dowitcher, 20
Dryobates villosus monticola, 135
septentrionalis, 135
Duck, Black, 85, 134, 178
Lesser Scaup, 18, 85, 142
Ring-necked, 85, 134
Ruddy, 18, 85
Scaup, 87
Wood, 85, 178
Dumetella carolinensis, 23, 137, 187
DuMont, Philip A. A Mensural Study of Grus canadensis from Iowa and Nebraska, 13-15; Some 1931 Middle Western Records of the Starling, 29; Snowy Owl in Iowa, 82-83; Iowa Specimen of Pacific Loon Re-examined, 89-90; Western Sandpiper in Iowa, 197
Eagle, Bald, 30, 32, 87-89, 160
Golden, 32
Northern, 19, 139, 179
Southern, 200
Ectopistes migratorius, 182
Egret, American, 35, 141, 142, 175, 203
Snowy, 35
Egretta thula thula, 35
Eifrig, G. In the Haunts of Cairn's Warbler, 60-66
elegans, Rallus, 180
Empidonax minimus, 22, 185
trailli trailli, 184
virescens, 184
Ereunetes maurii, 196
pusillis, 21
Erismatura jamaicensis rubida, 18, 85
Errington, Paul L. Nesting and the Life Equation of the Wisconsin Bob-white, 122-132
erythrocephalus, Melanerpes, 184
erythrogaster, Hirundo, 22, 186
erythromelas, Piranga, 193
erythrophthalmus, Coccyzus, 182
erythrophthalmus, Pipilo, 194
erythrorhynchos, Pelecanus, 17, 91, 197
Esten, Sidney R. Fifteen Minutes of Bird Observation in a Duck Blind in Indiana, 134
Euphagus carolinus, 111
cyanocephalus, 25, 111-113, 142
exilis, Ixobrychus, 178
Falco columbarius, 19, 139, 179
mexicanus, 19, 135
peregrinus anatum, 19, 139
rusticolus candicans, 79
sparverius, 19, 139, 179
Falcon, Prairie, 19, 135
familiaris americana, Certhia, 187
fedoa, Limosa, 21
Finch, Cassin's Purple, 136
House, 4, 8
Purple, 158, 175, 193
flammeus, Asio, 139
flavifrons, Vireo, 188
flavipes, Totanus, 20
Flicker, 3, 62, 65
Northern, 22, 80, 86, 183
Florida, 113
Florida caerulea caerulea, 35, 141

Flycatcher, Acadian, 184
Alder, 184
Crested, 184
Least, 22, 63, 174, 175, 176, 185
Olive-sided, 135, 175, 185
Freer, Ruskin S. Prairie Horned Lark in Virginia, 198-199
Fuligula americana americana, 19
fusca, Dendroica, 24, 191
fuscescens fuscescens, Hylocichla, 188
salicicola, 23
Gadwall, 17, 85
galbula, Icterus, 25, 193
Gallinula chloropus cachinnans, 142, 181
Gallinule, Florida, 142, 181
Ganier, Albert F. A Ten-Year-Old Cardinal, 152-154
garrula pallidiceps, Bombycilla, 24
Gavia arctica pacifica, 89
immer, 198
Georgia, 113, 147
Geothlypis trichas brachydactila, 76, 192
occidentalis, 24, 120
gilvus gilvus, Vireo, 24, 189
Glaucionetta clangula americana, 18
Gnatcatcher, Black-tailed, 31
Blue-gray, 30-31, 188, 200
Western, 31, 200
Godwit, Marbled, 21
Golden-eye, American, 18
Goldfinch, 64, 174, 193
Pale, 25, 136
Goodman, Wilfred A. Various Herons in Kansas, 203
Goose, Blue, 83, 142
Canada, 17, 83
Greater Snow, 16
Hutchins's, 17
Lesser Snow, 17
White-fronted, 17
Goshawk, 118, 139
Grackle, 113
Bronzed, 25, 63, 158, 193
Purple, 63
gramineus confinis, Pooecetes, 25
gramineus, 194
Grammacus chondestes, 194
Grebe, Eared, 196
Holboell's, 196
Horned, 16
Pied-billed, 176, 196
Western, 16, 196
Green, Morris M. Ornithological Reminiscences of Washington, 12-13
griseus, Limnodromus, 20
Grosbeak, Blue, 141
Evening, 120
Rocky Mountain, 25
Rose-breasted, 25, 64, 138, 174, 193
Grouse, Eastern Ruffed, 171, 179
Prairie Sharp-tailed, 19
Ruffed, 62, 171, 174
Sharp-tailed, 121
Grus canadensis canadensis, 13
tabida, 13-15, 19, 99-106
Guiraca caerulea, 141
Gull, Bonaparte's, 200
Franklin's, 21, 79
Great Black-backed, 120
Herring, 80, 176, 200
Ring-billed, 21, 176, 200
guttata faxoni, Hylocichla, 23, 188
Gyrfalcon, White, 79
haliaeetus carolinensus, Pandion, 19, 139
Haliaeetus leucocephalus, 32, 87-89, 139
alascans, 19, 160, 179
leucocephalus, 200
Hargrave, Lyndon L. Western Gnatcatcher Also Moves Its Nest, 30-31
Harrold, C. G. Notes on the Birds Found at Lake Johnston and Last Mountain Lake, Saskatchewan, During April and May, 1922, 16-26
Hawk, American Rough-legged, 19, 135, 139
Broad-winged, 79, 118, 139, 160, 175, 176, 179
Cooper's, 118, 124, 129, 132, 139, 160, 179
Duck, 19, 118, 139, 175, 201-202
Eastern Sparrow, 19, 139
Ferruginous Rough-leg, 19
Marsh, 19, 124, 129, 134, 139, 176, 179
Pigeon, 19, 139, 175
Red-shouldered, 118, 139, 179
Red-tailed, 62, 79, 102, 118, 139, 179, 200
Sharp-shinned, 18, 62, 129, 132, 139, 178
Sparrow, 62, 80, 118, 179
Swainson's, 19, 120
Western Red-tailed, 19
Hedymeles ludovicianus, 25, 138, 193
melanocephalus papago, 25
Henderson, Grant. Robins and Raspberries, 10-11; Cardinals Re-claim a Deserted Nest, 90; Boldness of Barred Owls when Danger Threatens Young, 143; Loon Found in the Highway, 198
Hendrickson, George O. An August Day's Toll of Birds' Lives on Primary Iowa Roads, 86
herodias, Ardea, 17, 34, 176
Heron, Black-crowned Night, 141, 175
Great Blue, 17, 34, 134, 141, 176
Green, 62, 178
Little Blue, 35, 141, 175

Hicks, Lawrence E. Statistical Study of Ohio Raptorial Birds, 139; Breeding Birds of Ashtabula County, Ohio, 168-195
hiemalis hiemalis, Nannus, 23
himantopus, Micropalama, 21
Hirundo erythrogaster, 22, 186
hirundo hirundo, Sterna, 21
Holland, Harold M. Late Nestlings, 50
hudsonius, Circus, 19, 179
Hummingbird, Calliope, 135
Ruby-throated, 33, 183
hyemalis hyemalis, Junco, 26, 73, 194
Hylocichla fuscescens fuscescens, 188
salicicola, 23
guttata faxoni, 23, 188
minima aliciae, 137
mustelina, 188
ustulata swainsoni, 23, 137
hyperborea atlantica, Chen, 16
hyperborea, 17
Icteria virens virens, 192
Icterus galbula, 25, 193
spurius, 141, 193
illiaca shistacea, Passerella, 136
Illinois, 29, 30, 136-138, 203
immer, Gavia, 198
Indiana, 30, 32, 64, 90, 134, 141, 198, 200, 203
International Rules of Zoological Nomenclature, 27
Iowa, 13, 29, 30, 32, 79, 82, 84, 85, 86, 89, 91, 140-141, 197, 203
Iridoprocne bicolor, 22, 185
Ixobrychus exilis, 178
Jaeger, Pomarine, 79, 120
jamaicensis rubida, Erismatura, 18, 85
Jay, Blue, 33, 63, 80, 134, 174, 186,
Pinyon, 8
Johnson, Hazel S. Notes on the Family Life of a Pair of American Pipits, 114-117
Jones, F. M. Day with the Bald Eagles, 87-89; Northern Raven in Virginia, 201-202
Jones, Gordon W. Food Habits of the English Sparrow, 197
Junco, Carolina, 64
Slate-colored, 26, 73, 136, 158, 163, 174, 175, 176, 194
Junco hyemalis, 64
hyemalis, 26, 73, 136, 194
Kansas, 29, 203
Kentucky, 83, 142
Killdeer, 20, 62, 109, 134, 181
King, Franklin Hiram (Obituary), 66-69
Kingbird, 62, 63
Eastern, 22, 184
Kingfisher, Belted, 80, 82, 183
Kinglet, Eastern Golden-crowned, 23, 34
Ruby-crowned, 80
kirtlandi, Dendroica, 72
Labrador, 114-117
lagopus s.-johannis, Buteo, 19, 135, 139
Lanius ludovicianus, 52
excubitorides, 24
lapponicus, Calcarius, 26, 120
Lark, Horned, 5, 120, 185
Prairie Horned, 22, 63, 120, 198
Larus argentatus smithsonianus, 200
californicus, 21, 200
delawarensis, 21, 200
marinus, 120
philadelphia, 200
pipixcan, 21, 79
lentiginosus, Botaurus, 17, 178
Leopold, Aldo. Mockingbird in Wisconsin, 143
leucocephalus, Haliaeetus, 32, 87-89, 139, 200
alascans, 19, 160, 179
leucophrys gambeli, Zonotrichia, 26
leucophrys, 26, 136
Limnodromus griseus, 20
Limosa fedoa, 21
limicola, Rallus, 180
linaria, Acanthus, 25
lineatus lineatus, Borealis, 139, 179
Linnet (see House Finch)
Lobipes lobatus, 21
longicauda, Bartramia, 20, 182
Longspur, Chestnut-collared, 26, 120
McCown's, 26
Lapland, 26, 120
Loon, Common, 198
Pacific, 89
Lophodytes cucullatus, 85
ludovicianus excubitorides, Lanius, 24
Hedymeles, 25, 138, 193
Thryothorus, 187
macroura carolinensis, Zenaidura, 30, 182
marginella, 22
macularia, Actitus, 20, 181
maculatus arcticus, Pipilo, 25
magna, Sturnella, 192
magnolia, Dendroica, 24, 190
Magpie, 8
American, 23
Mallard, 83, 86, 134
Common, 17, 178
Mareca americana, 18, 35, 85
penelope, 35
marinus, Larus, 120
maritima, Arquatella, 120
Martin, Purple, 23, 64, 186
Maryland, 60-66
maurii, Erunetes, 197
McAtee, W. L. Meaning of Bird Control, 3-9
mccowni, Rhynchophanes, 26

Meadowlark,, 63, 121, 134
Eastern, 137, 192
Western, 24, 120, 137
Megaceryle alcyon alcyon, 80, 183
Melanitta deglandi, 18
Melanerpes erythrocephalus, 184
melanocephalus papago, Hedymeles, 25
melanctus, Pisobia, 20
melanura californica, Polioptila, 31
Meleagris gallopavo silvestris, 180
melodus, Charadrius, 19, 181
Melospiza georgiana, 193
melodia beata, 51-59, 195
Merganser, American, 18
Hooded, 85
Red-breasted, 85
Mergus merganser americanus, 18
serrator, 85
mesoleucus, Nuttalornis, 135, 185
mexicanus, Falco, 19, 135
Mimus polyglottos, 187, 203
Michigan, 34, 70-76, 79, 99-106, 118-121, 203
Micropalama himantopus, 21
migratorius, Ectopistes, 182
Turdus, 23, 188
Minnesota, 33, 82, 84
minima aliciae, Hylocichla, 137
minimus, Empidonax, 22, 185
minor, Chordeiles, 183
Philohela, 106-110, 138, 142, 181
Missouri, 29
Mniotilta varia 24, 71, 189
Mockingbird, 143, 152, 187, 203
Molothrus ater artemisiae, 25
ater, 34, 90, 193
Monk, Harry C. Cedar Waxwing Breeding at Nashville, Tennessee, 140; White Pelican on Tennessee River, 140
motacilla, Seiurus, 192
Montana, 134-136
Moyer, John William, Bird Life Along the Kankakee, 136-138
mustelina, Hylocichla, 188
Myiarchus crinitus boreus, 184
Myiochanes virens, 185
Nannus hiemalis hiemalis, 23
Nauman, E. D. Too Much Red?, 140-141
Nebraska, 13, 32, 141
neglecta, Sturnella, 24, 120
Nettion carolinense, 86, 142
nevadensis, Amphispiza, 136
New York, 4
Nice, Margaret Morse. Relations Between the Sexes in Song Sparrows, 51-59; Winter Range of Tufted Titmice, 87
nigra, Rynchops, 147-151
nigra surinamensis, Chlidonias, 22, 182
nivalis, Plectrophenax, 26
North Carolina, 4, 111-113
noveboracensis, Coturnicops, 181
Seiurus, 24, 192
Numenius americanus, 20
Nuthatch, Red-breasted, 23, 175, 186
White-breasted, 65, 134, 156-158, 160, 174, 186
Nuttallornis mesoleucus, 135, 185
Nyctea nyctea, 22, 32, 82, 139, 141, 165
Nyroca affinis, 18, 85, 142
americana, 18, 86
collaris, 85
valisineria, 18, 86
occidentalis, Aechmophorus, 17
Ohio, 29, 35, 51-59, 80, 87, 106-110, 139, 168-195
Oklahoma, 7, 29
olivaceus, Vireo, 24, 189
Oporornis philadelphia, 24
Oriole, Baltimore, 25, 63, 193
Orchard, 141, 193
ornatus, Calcarius, 26, 120
oryzivorus, Dolichonyx, 192
Osprey, 19, 139, 175
Otocoris alpestris alpestris, 120
praticola, 22, 120, 185, 198
Otus asio naevius, 139, 182
Oven-bird, 34, 65, 76, 158, 174, 192
Owl, 7
Barn, 139, 182
Barred, 30
Eastern Screech, 139, 182
Great Horned, 30, 124, 125, 129, 132, 139, 183
Long-eared, 22, 139, 183, 198
Northern Barred, 139, 143, 183
Saw-whet, 139, 183
Short-eared, 139, 183
Snowy, 22, 32, 82, 83, 84, 139, 141, 165
Western Burrowing, 22
Oxyechus vociferus, 20, 181
pallida, Spizella, 26
palmarum palmarum, Dendroica, 24, 73
palustris dissaëptus, Telmatodytes, 187
Pandion haliaetus carolinensis, 19, 139
paradisaea, Sterna, 121
Partridge, European, 180
Passerculus sandwichensis, 25
campestris, 24
savanna, 194
Passer domesticus, 155-166, 192, 197
Passerella illiaca shistacea, 136
Passerherbulus caudacutus, 29
henslowi henslowi, 194
Passerina cyanea, 193
passerina passerina, Spizella, 194
Peale, Titian R., 36
Pediocetes phasianellus campestris, 19
phasianellus, 19, 121
pelagica, Chaetura, 183

Pelican, White, 17, 91, 197
Pelecanus erythrorhynchos, 17, 191, 197
Pelidna alpina sakhalina, 175
penelope, Mareca, 35
Pennsylvania, 64, 79
pensylvanica, Dendroica, 72, 137, 191
Penthestes atricapillus, 186
septentrionalis, 23
carolinensis carolinensis, 35, 186
Perdix perdix, 180
peregrina, Vermivora, 137
peregrinus anatum, Falco, 19, 139
Petrochelidon albifrons, 186
albifrons, 22
Pewee, Wood, 63, 174, 185
Phalacrocorax auritus auritus, 17
Phalarope, Northern, 21
Wilson's, 21, 142
phasianellus campestris, Pediocetes, 19
phasianellus, 121
Pheasant, Ring-necked, 180
philadelphia, Larus, 200
Oporornis, 24
Philohela minor, 106-110, 138, 142, 181
Phoebe, 63
Eastern, 184
Say's, 22
phoeniceus, Agelaius, 193
arctolegus, 25
Pica pica hudsonia, 23
Pigeon, Passenger, 182
Pintail, 83, 86, 134, 175
American, 18
pinus pinus, Dendroica, 191
Spinus, 193
Pipilo erythrophthalmus, 137, 194
maculatus arcticus, 25
Pipit, American, 23, 114-117, 120
Sprague's, 24, 120
pipixcan, Larus, 21, 79
Piranga erythromelas, 193
Pisobia bairdi, 20
melanotus, 20
minutilla, 20
platypterus platypterus, Buteo, 139, 179
platyrhynchos, Anas, 17, 86, 178
Plectrophenax nivalis nivalis, 26
Plover, American Golden, 20, 91, 141
Black-bellied, 20, 140
Piping, 19, 142, 181
Semipalmated, 20
Upland, 20, 182
Pluvialis dominica dominica, 20, 91, 141
Podilymbus podiceps, 176
Polioptila melanura californica, 31
caerulea amoenissima, 31
caerulea, 30, 188
polyglottos, Mimus, 187
pomarinus, Stercorarius, 79, 120
Pooecetes gramineus confinus, 25
gramineus, 194
Porzana carolina, 19, 180
Prairie Chicken, Greater, 19
Progne subis subis, 23, 186
Protonotaria citrea, 137
purpureus purpureus, Carpodacus, 193
pusilla pusilla, Wilsonia, 136
Spizella, 30, 191
pusillus, Ereunetes, 21
Querquedula discors, 18, 85, 178
querula, Zonotrichia, 26
Quiscalus quiscula, 113
aeneus, 25, 193
Rail, King, 180
Virginia, 176, 180
Yellow, 104, 175, 181
Rallus limicola limicola, 180
elegans elegans, 180
Raven, Northern, 201
Recurvirostra americana, 21
Red-head, 18, 86
Redpoll, 25
Redstart, 76, 192
American, 24, 137, 158
Red-wing, Eastern, 193
Giant, 25
Thick-billed, 121
regalis, Buteo, 19
Regulus satrapa satrapa, 23
Riparia riparia riparia, 22, 185
Richmondena cardinalis, 90, 152-154, 193
Ritter, John H. Leconte's Sparrow at Toledo, Ohio, 29
Robin, 3, 4, 6, 7, 10, 34, 66, 109, 134, 158, 160, 174, 188
Eastern, 23
Rook, 9
rubripes tristis, Anas, 86, 178
ruficapilla ruficapilla, Vermivora, 71, 190
ruficollis serripennis, Stelgidopteryx, 135, 137, 185
rufum, Toxostoma, 23, 187
rusticolus canadicans, Falco, 79
ruticilla, Setophaga, 24, 76, 137, 192
Rhynchophanes mccowni, 26
Rynchops nigra nigra, 147-151
Sanderling, 21, 119
Sandpiper, Baird's, 20
Buff-breasted, 21
Least, 20, 175
Pectoral, 20, 83
Purple, 120
Red-backed, 175
Semipalmated, 21, 176
Solitary, 20, 175
Stilt, 21
Spotted, 20, 62, 182
Western, 197
sandwichensis, Passerculus, 25
campestris, 25
savanna, 194
Sapsucker, Yellow-bellied, 62, 75, 80, 176, 184

satrapa satrapa, Regulus, 23
savannarum australis, Ammodramus, 194
bimaculatus, Ammodramus, 25
saxatalis, Aeronautus, 135
Sayornis phoebe, 184
saya saya, 22
Scoter, White-winged, 18
Seiurus aurocapillus, 192
motacilla, 192
noveboracensis, 24
notabilis, 192
semipalmatus, Charadrius, 20
inornatus, Catoptrophorus, 20
serrator, Mergus, 85
Setophaga ruticilla, 24, 76, 137, 192
Shoveller, 18, 85, 87, 142, 175
Shrike, 52, 65
Migrant, 188
White-rumped, 24
Sialia currucoides, 23
sialis sialis, 23, 188
Siskin, Pine, 175, 193
Sitta canadensis, 23, 186
carolinensis, 156, 186
Skimmer, Black, 147-151
Snipe, Wilson's, 20, 83, 102, 175, 176, 181
solitaria, Tringa, 20
Sora, 19, 180
South Carolina, 112, 113, 147
South Dakota, 32, 33, 79, 84
Sparrow, Baird's, 25
Brewer's, 26
Chipping, 64, 158, 160, 164
Clay-colored, 26, 120
Eastern Chipping, 73, 194
Eastern Field, 30, 194
Eastern Lark, 194
Eastern Vesper, 194
English, 3, 6, 8, 64, 80, 86, 155-166, 192, 196
Field, 158, 161, 163, 164, 174
Gambel's, 120
Grasshopper, 64, 194
Harris's, 26, 120
Leconte's, 29
Lincoln's, 80
Mississippi Song, 195
Northern Sage, 136
Savannah, 25, 80, 114, 194
Slate-colored Fox, 136
Song, 51-59, 64, 80, 87, 134, 156-166
Swamp, 64, 80, 102, 195
Tree, 26, 80, 134
Vesper, 64
Western Grasshopper, 25
Western Henslow's, 194
Western Vesper, 25
White-crowned, 80
White-throated, 80, 136, 175, 176, 194
sparverius, Falco, 19, 139, 179
Spatula Clypeata, 18, 85, 142
Speotyto cunicularia hypugaea, 22
Sphyrapicus varius, 184
Spiker, Charles J. Flight of Broad-winged Hawks, 79; Analysis of Long-eared Owl Pellets, 198
spinoletta rubescens, Anthus, 23
Spinus pinus, 193
tristis pallida, 25, 136
tristis, 193
Spiza americana, 193
Spizella arborea, 26
breweri breweri, 26
pallida, 26
passerina passerina, 73, 194
pusilla pusilla, 30, 194
sponsa, Aix, 85, 178
spraguei, Anthus, 24, 120
spurius, Icterus, 141
Squaterola squaterola, 20, 142
Starling, 3, 4, 6, 8, 29, 63, 64, 80, 156-166, 188
Steganopus tricolor, 21, 142
Stelgidopteryx ruficollis serripennis, 135, 137, 185
stellaris, Cistothorus, 187
Stellula calliope, 135
Stephens, T. C. Early Snowy Owl Records from Nebraska, Iowa, South Dakota, and Minnesota, 83-85
Stercorarius pomarinus, 79, 120
Sterna hirundo hirundo, 21
paradisaea, 121
Stevenson, James. Experiments on the Digestion of Food by Birds, 155-167
streperus, Chaulelasmus, 17, 85
striata, Dendroica, 24, 72
Strix varia varia, 30, 139, 143, 182
Sturnella magna magna, 137, 192
neglecta, 24, 120, 137
Sturnus vulgaris, 29, 156, 188
subis subis, Progne, 23, 186
subruficollis, Tryngites, 21
swainsoni, Buteo, 19, 120
Swallow, Bank, 185
Barn, 22, 64, 186
Cliff, 64, 186
Northern Cliff, 22
Rough-winged, 135, 137, 185
Tree, 22, 64, 176, 185
Violet-green, 135
Swan, Whistling, 17
Swanson, Gustav. Heavy Case of Internal Parasitism of the Belted Kingfisher, 80-82
Swift, Chimney, 63, 183
White-throated, 135
Tachycinetta thalissima lepida, 135
Tanager, Scarlet, 140, 141, 161, 162, 174, 193
Summer, 30

Taylor, Mrs. H. J. Franklin Hiram King, 66-69
Teal, Blue-winged, 18, 83, 85, 178
Green-winged, 18, 86, 142
Telmatodytes palustris, 187
Tennessee, 140, 152-154, 197
Tern, Arctic, 121
Black, 22, 182
Caspian, 176
Common, 21, 176
Least, 148
Texas, 5
thalissima lepida, Tachycinetta, 135
Thrasher, Brown, 23, 53, 65, 187
Thrush, Eastern Hermit, 23, 188
Gray-cheeked, 137
Hermit, 23, 80, 158, 175
Olive-backed, 23, 137
Willow, 23
Wood, 3, 11, 66, 72, 174, 188
Thryomanes bewicki bewicki, 187
Thryothorus ludovicianus, 187
thula thula, Egretta, 35
Titmouse, Tufted, 65, 87, 186
Tomkins, Ivan R. Ways of the Black Skimmer, 147-151; Upward Currents Not Required for Soaring Flight, 200.
Totanus flavipes, 20
Towhee, 137, 174
Arctic, 25
Red-eyed, 158, 160, 161, 194
Toxostoma rufum, 23, 53, 187
trailli trailli, Empidonax, 184
trichas brachidactyla, Geothlypis, 176, 192
occidentalis, 24, 120
tricolor, Steganopus, 21, 142
Tringa solitaria, 20
tristis pallidus, Spinus, 25, 136
Troglodytes aëdon aëdon, 53, 157, 187
parkmani, 23
Tryngites subruficollis, 21
Turdus migratorius, 23, 188
Turkey, Wild, 62, 180
Tympanuchus cupido americanus, 19
Tyrannus tryannus, 22, 184
Tyto alba pratincola, 182
umbellus, Bonasa, 179
ustulata swainsoni, Hylocichla, 23, 137
valisineria, Nyroca, 18, 86
varia, Mniotilta, 24, 71, 189
varia, Strix, 30, 139, 143, 182
varius, Sphyrapicus, 184
Veery, 65, 121, 174, 176, 188
velox, Accipiter, 18, 139, 178
Vermivora celata celata, 24
chrysoptera, 189, 198
leucobronchialis, 189
peregrina, 137
pinus, 189
ruficapilla ruficapilla, 71, 190
vigorsi vigorsi, Dendroica, 73
villosus septentrionalis, Dryobates, 135
virens, Icteria, 192
Myiochanes, 184
virens, Dendroica, 191
virescens, Butorides, 178
Empidonax, 184
Virginia, 3, 87, 197, 198-199, 200
virginianus virginianus, Bubo, 139, 182
Colinus, 30, 180
Vireo, Blue-headed, 174, 175
Eastern Warbling, 24, 189
Red-eyed, 23, 65, 158, 174, 189
Yellow-throated, 65, 188
Vireo flavifrons, 188
gilvus gilvus, 24, 189
olivaceus, 24, 189
vociferus, Antrostomus, 183
Oxyechus, 20, 181
vulgaris, Sturnus, 29, 156, 188
Vulture, Black, 30, 139
Turkey, 139, 178, 200
Walkinshaw, Lawrence H. Sandhill Crane in a Michigan Marsh, 99-105
Warbler, Black and White, 24, 71, 189
Blackburnian, 24, 61, 65, 158, 174, 175, 191
Black-throated Blue, 65, 174, 175, 191
Black-throated Green, 65, 174, 191
Blackpoll, 24
Blue-winged, 174, 189, 202
Brewster's, 189
Cairn's, 60-65
Canada, 61, 65, 175, 192
Cerulean, 191, 202
Chestnut-sided, 65, 72, 137, 174, 191
Eastern Yellow, 24, 190
Golden-winged, 61, 65, 189, 197
Hooded, 61, 174, 192
Kentucky, 30
Kirtland's, 72, 74
Magnolia, 24, 61, 65, 174, 175, 176, 190
Mourning, 24
Myrtle, 24, 71, 72, 73, 75
Nashville, 71, 175, 190
Northern Parula, 190
Northern Pileolated, 136
Northern Pine, 73, 75, 191, 198
Northern Prairie, 75, 76
Orange-crowned, 24
Palm, 70, 76, 80
Parula, 65
Pine, 175
Prairie, 61
Prothonotary 137, 138
Swainson's, 30
Tennessee, 137
Western Palm, 24, 73, 74, 75
Wilson's, 136
Worm-eating, 61

Waterthrush, 24
Grinnell's, 175, 176, 192
Louisiana, 61, 65, 192
Northern, 61, 65
Watterson, William H. 1932 Fall Migration at Cleveland's Public Square, 80
Waxwing, Bohemian, 24
Cedar, 65, 140, 161, 188
West Virginia, 64, 87
Weydemeyer, Winton. Some Birds of Judith Basin County, Montana, 134-136
Whip-poor-will, 30, 62, 183
Widgeon, European, 35
Wilson, Gordon. Blue Goose in Kentucky, 83; New Records for Bowling Green, Kentucky, 142
Wilsonia canadensis, 192
citrina, 192
pusilla pileolata, 136
pusilla, 136
Wilsonianus, Asio, 22, 139, 198
Wilson Ornithological Club, Annual Meeting, 27
Past Officers, 2
Proceedings, 37
Wing, Leonard W. Summer Warblers of the Crawford County, Michigan, Uplands, 70-76
Wisconsin, 142, 143
Wren, Bewick's, 61, 65, 187
Carolina, 187
Eastern Winter, 23
House, 33, 53, 65, 156-166, 187
Long-billed Marsh, 104, 176
Marsh, 102
Prairie Marsh, 187
Short-billed Marsh, 104, 176, 187
Western House, 23
Winter, 61, 65, 80
Wood, Merrill. Partial Albino Red-tailed Hawk, 79
Woodcock, 106-110, 138, 142, 176, 181
Woodpecker, Downy, 62, 134, 160, 174, 184
Hairy, 62, 160, 174, 184, 200-201
Northern Hairy, 135
Pileated, 30, 62, 183
Red-bellied, 184
Red-headed, 86, 134, 184
Xanthocephalus xanthocephalus, 25, 119
Yellow-legs, 83
Greater, 175
Lesser, 20, 175
Yellow-throat, 24
Maryland, 65
Northern, 76, 80, 174, 192
Western, 120
Youngworth, William. Migration Records of Eagles and Snowy Owls in the Upper Missouri Valley, 32-33; Large Flocks of the Golden Plover and White Pelicans Near Sioux City, Iowa, 91; Song of the Female Orchard Oriole, 141
Zenaidura macroura carolinensis, 30, 182
marginella, 22
Zonotrichia albicolis, 26, 194
leucophrys gambeli, 26
leucophrys, 26, 136
querula, 26